European Journal of Orthodontics 19 (1997) 733–738

© 1997 European Orthodontic Society

European Journal of Orthodontics

Volume 19 (1997) Subject entries

Altered mandibular function
. . . and prevention of skeletal asymmetries after unilateral condylectomy in rats 211
Effects of experimental unilateral condylectomy followed by . . . on the maxilla and zygoma 205
Appliance wear
. . . : the patient's point of view 377
Arch size and shape
Dental occlusion and . . . in karyotype 46,XY females 329

Bass appliance
The effect of treatment with the . . . on skeletal Class II malocclusions: a cephalometric investigation 691
Bass orthopaedic appliance
Mandibular growth during initial treatment with the . . . in relation to age and growth periods 47
Bond strength
Evaluation of the . . . of different bracket-bonding systems to bovine enamel 259
Bony facial structures
The effect of professional violin and viola playing on the . . . 39
The effect of violin playing on the . . . in adolescents 369
Bovine enamel
Evaluation of the bond strength of different bracket-bonding systems to . . . 259
Bracket-bonding systems
Evaluation of the bond strength of different . . . to bovine enamel 259

Canine-to-canine retainers
A 3-year follow-up study of various types of orthodontic . . . 501
Cephalometric shapes
Effect of growth and development on . . . in orthodontic patients: a Fourier analysis 669
Ceramic brackets
Recycling effects on . . . : a dimensional, weight and shear bond strength analysis 629
Class II correction
Long-term effects of . . . in Herbst and Bass therapy 185
Class II subdivision treatment
. . . with tip-back moments 93
Class III malocclusion
Thin-plate spline analysis of the cranial base in subjects with . . . 341
Class III malocclusions
Maxillary development revisited: relevance to the orthopaedic treatment of . . . 289
Cleft lip and palate
Evaluation of facial features in two groups of . . . patients receiving centralized and non-centralized treatment regimes 411
Clinical application of magnets
. . . in orthodontics and biological implications: a review 431
Collagen synthesis
. . . from human PDL cells following orthodontic tooth movement 29
Condylectomy
Effects of altered mandibular function on mandibular growth after . . . 9
Congenital temporomandibular joint ankylosis
. . . —a case report 243
Cranial base
Thin-plate spline analysis of the . . . in subjects with Class III malocclusion 341
Craniofacial complex
The . . . in karyotype 46,XY females 383
Craniofacial morphology
Relationships between the orientation and moment arms of the human jaw muscles and normal . . . 313
Craniofacial parameters
. . . during growth from the deciduous to permanent dentition—a longitudinal study 681
Craniofacial skeleton
Catch-up growth induced by growth hormone in the . . . of the Snell strain of the hypopituitary dwarf mouse 141
Craniomandibular disorders
A survey of . . . in 500 19-year-olds 57

Deciduous dentition
Malocclusion in the . . . of Caucasian children 361
Dental crowding
. . . : a comparison of three methods of assessment 543
Dental development
Acceleration in . . . : fact or fiction 703
Dental occlusion
. . . and arch size and shape in karyotype 46,XY females 329
Dietary oil contamination
Effects of . . . and absence of prophylaxis on orthodontic bonding 109
Drum spring (DS) retractor
The . . . : a constant and continuous force for canine retraction 115

Ectopic canine
Maxillary incisor root resorption in relation to the . . . : a review of 26 patients 79
Electromagnetic articulography
Reliability of . . . recording during speaking sequences 647i

Fluoride
A clinical evaluation of the effectiveness of including . . . into an orthodontic bonding adhesive 391

Glass ionomer cement
White spot reduction when using . . . for bonding in orthodontics: a longitudinal and comparative study 233
Growth cartilages

Tissue-separating capacity of . . . 473
Growth hormone
Catch-up growth induced by . . . in the craniofacial skeleton of the Snell strain of the hypopituitary dwarf mouse 141
Growth-hormone-deficient children
Differential growth and maturation in idiopathic . . . 131

Herbst and Bass therapy
Long-term effects of Class II correction in . . . 185
Herbst appliance
A comparative study of sagittal correction with the . . . in two different ethnic groups 195
Morphological changes of the TMJ condyles of 100 patients treated with the . . . in the period of puberty to adulthood: a long-term radiographic study 657
Humidity
The importance of . . . in the *in vitro* study of the cranium with regard to initial bone displacement after force application 423

Initial bone displacement
The importance of humidity in the *in vitro* study of the cranium with regard to . . . after force application 423
Interdigitation
Contribution of . . . to the occlusal development of the dentition in *Macaca fascicularis* 531

Jaw muscles
Relationships between the orientation and moment arms of the human . . . and normal craniofacial morphology 313

Long-term dental development
. . . in children after treatment for malignant disease 151

Malocclusion
. . . in the deciduous dentition of Caucasian children 361
Secular trends in . . . in Austrian men 355
Mandibular condyle
Aplasia of the . . . 483
Mandibular function
Effects of altered . . . on mandibular growth after condylectomy 9
Mandibular growth
Effects of altered mandibular function on . . . after condylectomy 9
. . . during initial treatment with the Bass orthopaedic appliance in relation to age and growth periods 47
Mandibular growth pattern
. . . in Turner's syndrome 161
Mandibular hyperpropulsion
An appliance designed for experimental . . . in rats 1
Maxillary canine retraction
A clinical comparison of the rate of . . . into healed and recent extraction sites—a pilot study 711
Maxillary canine
Normal eruption of the . . . quantified in three dimensions 171
Maxillary development
. . . revisited: relevance to the orthopaedic treatment of Class III malocclusions 289
Maxillary incisor root resorption
. . . in relation to the ectopic canine: a review of 26 patients 79
Mesiodistal crown diameters
. . . of the primary and permanent teeth in Southern Chinese—a longitudinal study 721
Multibonded ceramic brackets
A post-treatment evaluation of . . . in orthodontics 219

Nerve fibres
Effect of experimental tooth movement on . . . immunoreactive to calcitonin gene-related peptide, protein gene product 9.5, and blood vessel density and distribution in rats 517
Nickel titanium alloy
Superelastic . . . retraction springs—an experimental investigation of force systems 491
Ni–Ti and copper Ni–Ti wires
Torsional properties of . . . : the effect of temperature on physical properties 637

Occlusal development
Contribution of interdigitation to the . . . of the dentition in *Macaca fascicularis* 531
Orthodontic bonding adhesive
A clinical evaluation of the effectiveness of including fluoride into an . . . 391
Orthodontic bonding
Effects of dietary oil contamination and absence of prophylaxis on . . . 109
Orthodontic treatment
A longitudinal study of subjective and objective . . . need 85
Lay attitudes to dental appearance and need for . . . 271

Palatally impacted canines
Management of . . . : the findings of a collaborative study 511
PAR Index
Evaluation of treatment and post-treatment changes by the . . . 279
Periodontal ligament cells
Osteoblast-like properties of human . . . : an *in vitro* analysis 615
Pulp damage
Risk of . . . due to temperature increase during thermodebonding of ceramic brackets 623

Sagittal correction
A comparative study of . . . with the Herbst appliance in two different ethnic groups 195
Skeletal asymmetries
Altered mandibular function and prevention of . . . after unilateral condylectomy in rats 211
Skeletal Class II malocclusions
The effect of treatment with the Bass appliance on . . . : a cephalometric investigation 691
Soft tissue outline
A critical appraisal of measurement of the . . . using photographs and video 397

Temporomandibular disorders
The aetiology of . . . : a philosophical overview 249
Thermodebonding of ceramic brackets
Risk of pulp damage due to temperature increase during . . . 623
Thin-plate spline analysis
. . . of the cranial base in subjects with Class III malocclusion 341

TMJ condyles
Morphological changes of the . . . of 100 patients treated with the Herbst appliance in the period of puberty to adulthood: a long-term radiographic study 657
Tooth agenesis
The effect of . . . on dentofacial structures 71
Tooth movement
Collagen synthesis from human PDL cells following orthodontic . . . 29
Effect of experimental . . . on nerve fibres immunoreactive to calcitonin gene-related peptide, protein gene product 9.5, and blood vessel density and distribution in rats 517
In vitro measurement of orthodontic . . . in rats given β-aminoproprionitrile or hydrocortisone using a time-lapse videotape recorder 21
Turner's syndrome
Mandibular growth pattern in . . . 161

Unilateral cleft lip and palate
Study models of 5 year old children as predictors of surgical outcome in . . . 165
Unilateral condylectomy
Altered mandibular function and prevention of skeletal asymmetries after . . . in rats 211
Unilateral condylectomy
Effects of experimental . . . followed by altered mandibular function on the maxilla and zygoma 205

Violin and viola playing
The effect of professional . . . on the bony facial structures 39
Violin playing
The effect of . . . on the bony facial structures in adolescents 369

White spot reduction
. . . when using glass ionomer cement for bonding in orthodontics: a longitudinal and comparative study 233

Author entries

Alexandridis, K. see Spyropoulos, M. N.; Tsolakis, A. I.
Alvesalo, L. see Grön, M.; Pietilä, K.
Årtun, J.
A post-treatment evaluation of multibonded ceramic brackets in orthodontics 219
Årtun, J., Spadafora, A. T. and Shapiro, P. A.
A 3-year follow-up study of various types of orthodontic canine-to-canine retainers 501
Årtun, J. see Jost-Brinkmann, P.-G.
Atack, N., Hathorn, I., Mars, M. and Sandy, J.
Study models of 5 year old children as predictors of surgical outcome in unilateral cleft lip and palate 165
Axmann-Krcmar, D. see Horn, H.

Babić, M., Glišić, B. and Šćepan, I.
Mandibular growth pattern in Turner's syndrome 161
Bacher, M. see Horn, H.
Bacon, W. see Tschill, P.
Banks, P. A., Burn, A. and O'Brien, K.
A clinical evaluation of the effectiveness of including fluoride into an orthodontic bonding adhesive 391
Bantleon, H. P. see Weiland, F. J.
Basdra, E. K. and Komposch, G.
Osteoblast-like properties of human periodontal ligament cells: an *in vitro* analysis 615
Battagel, J. M. see Johal, A. S.
Benson, P. E. and Richmond, S.
A critical appraisal of measurement of the soft tissue outline using photographs and video 397
Birkeland, K., Furevik, J., Bøe, O. E. and Wisth, P. J.
Evaluation of treatment and post-treatment changes by the PAR Index 279
Birnie, D. J. see Pearson, M. H.
Bøe, O. E. see Birkeland, K.
Bourauel, C., Drescher, D., Ebling, J., Broome, D. and Kanarachos, A.
Superelastic nickel titanium alloy retraction springs—an experimental investigation of force systems 491
Brćić, R. see Gaži-Čoklica, V.
Broome, D. see Bourauel, C.
Bumann, A., Carvalho, R. S., Schwarzer, C. L. and Yen, E. H. K.
Collagen synthesis from human PDL cells following orthodontic tooth movement 29
Burn, A. see Banks, P. A.
Burstone, C. J. see Shroff, B.
Buschang, P. H. see Cantu, G.

Cacciafesta, V. see Martina, R.
Cantiello, P. see Martina, R.
Cantu, G., Buschang, P. H. and Gonzalez, J. L.
Differential growth and maturation in idiopathic growth-hormone-deficient children 131
Carvalho, R. S. see Bumann, A.
Chiba, M. see Yamane, A.
Colombo, A. see Ferrario, V. F.
Coulter, J. and Richardson, A.
Normal eruption of the maxillary canine quantified in three dimensions 171
Cova, M. see Ferrario, V. F.
Cura, N. and Saraç, M.
The effect of treatment with the Bass appliance on skeletal Class II malocclusions: a cephalometric investigation 691

Dahllöf, G. see Näsman, M.
Darendeliler, A. see Darendeliler, M. A.
Darendeliler, H. see Darendeliler, M. A.
Darendeliler, M. A., Darendeliler, A. and Mandurino, M.
Clinical application of magnets in orthodontics and biological implications: a review 431
Darendeliler, M. A., Darendeliler, H. and Üner, O.
The drum spring (DS) retractor: a constant and continuous force for canine retraction 115
Delaire, J.

Maxillary development revisited: relevance to the orthopaedic treatment of Class III malocclusions 289
Dermaut, L. see Govaert, L.
Drescher, D. see Bourauel, C.

Eberhard, H. see Nkenke, E.
Ebling, J. see Bourauel, C.
Espeland, L. see Stenvik, A.

Ferrario, V. F., Sforza, C., Poggio, C. E., Colombo, A. and Cova, M.
Effect of growth and development on cephalometric shapes in orthodontic patients: a Fourier analysis 669
Filleul, M. P. and Jordan, L.
Torsional properties of Ni–Ti and Copper Ni–Ti wires: the effect of temperature on physical properties 637
Forsberg, C.-M. see Näsman, M.
Fukui, T. see Yamane, A.
Furevik, J. see Birkeland, K.

Gaži-Čoklica, V., Muretić, Ž., Brćić, R., Kern, J. and Milicić, A.
Craniofacial parameters during growth from the deciduous to permanent dentition—a longitudinal study 681
Gebauer, U. see Häsler, R.
Glišić, B. see Babić, M.
Gonzalez, J. L. see Cantu, G.
Govaert, L. and Dermaut, L.
The importance of humidity in the *in vitro* study of the cranium with regard to initial bone displacement after force application 423
Göz, G. see Horn, H.
Grön, M. and Alvesalo, L.
Dental occlusion and arch size and shape in karyotype 46,XY females 329
Grön, M. see Pietilä, K.

Hägg, U. see Ömblus, J.; Wong, G. W. K.
Hansen, K. see Ömblus, J.
Häsler, R., Schmid, G., Ingervall, B. and Gebauer, U.
A clinical comparison of the rate of maxillary canine retraction into healed and recent extraction sites—a pilot study 711
Hathorn, I. see Atack, N.
Hirschfelder, U. see Nkenke, E.
Holtgrave, E. A., Kretschmer, R. and Müller, R.
Acceleration in dental development: fact or fiction 703
Hons, I. see Ostyn, J. M.
Horn, H., Göz, G., Bacher, M., Müllauer, M., Kretschmer, I. and Axmann-Krcmar, D.
Reliability of electromagnetic articulography recording during speaking sequences 647

Ingervall, B. see Häsler, R.

Johal, A. S. and Battagel, J. M.
Dental crowding: a comparison of three methods of assessment 543
Jonke, E. see Weiland, F. J.
Jordan, L. see Filleul, M. P.
Jost-Brinkmann, P.-G., Radlanski, R. J., Årtun, J. and Loidl, H.
Risk of pulp damage due to temperature increase during thermodebonding of ceramic brackets 623

Kanarachos, A. see Bourauel, C.
Kantomaa, T. see Peltomäki, T.
Katsavrias, E. see Spyropoulos, M. N.; Tsolakis, A. I.
Kern, J. see Gaži-Čoklica, V.
Kerr, W. J. S. see Stewart, F. N.
Kingdon, A. see Pilley, J. R.
Komorowska, A.
Congenital temporomandibular joint ankylosis—a case report 243
Komposch, G. see Basdra, E. K.
Könönen, M. see Kovero, O.
Koolstra, J. H. see van Spronsen, P. H.
Kovero, O., Könönen, M. and Pirinen, S.
The effect of professional violin and viola playing on the bony facial structures 39
Kovero, O., Könönen, M. and Pirinen, S.
The effect of violin playing on the bony facial structures in adolescents 369
Kretschmer, I. see Horn, H.
Kretschmer, R. see Holtgrave, E. A.
Krogstad, O.
Aplasia of the mandibular condyle 483
Kvinnsland, I. H. see Vandevska-Radunovic, V.
Kvinnsland, S. see Vandevska-Radunovic, V.
Kylämarkula, S. see Peltomäki, T.

Laino, A. see Martina, R.
Lew, K. K. K. see Tan, L. S.
Lindauer, S. J. see Shroff, B.
Linder-Aronson, S. see Spyropoulos, M. N.
Linge, B. O. see Stenvik, A.
Linge, L. see Stenvik, A.
Loidl, H. see Jost-Brinkmann, P.-G.
Lozanoff, S. see Singh, G. D.

Malmgren, O. see Ömblus, J.
Maltha, J. C. see Ostyn, J. M.
Mandurino, M. see Darendeliler, M. A.
Marcusson, A., Norevall, L.-I. and Persson, M.
White spot reduction when using glass ionomer cement for bonding in orthodontics: a longitudinal and comparative study 233
Mars, M. see Atack, N.
Martina, R., Laino, A., Cacciafesta, V. and Cantiello, P.
Recycling effects on ceramic brackets: a dimensional, weight and shear bond strength analysis 629
Martus, P. see Nkenke, E.
Mathisen, A. see Stenvik, A.
McNamara, J. A. Jr see Singh, G. D.
Mew, J. R. C.
The aetiology of temporomandibular disorders: a philosophical overview 249
Milicić, A. see Gaži-Čoklica, V.
Mitchell, C. N. T. see Rimes, R. J.
Mohlin, B. see Pilley, J. R.
Müllauer, M. see Horn, H.
Müller, R. see Holtgrave, E. A.
Muretić, Ž. see Gaži-Čoklica, V.

Näsman, M., Forsberg, C.-M. and Dahllöf, G.
Long-term dental development in children after treatment for malignant disease 151
Nkenke, E., Hirschfelder, U., Martus, P. and Eberhard, H.
Evaluation of the bond strength of different bracket-bonding systems to bovine enamel 259
Norevall, L.-I. see Marcusson, A.

O'Brien, K. see Banks, P. A.
Ömblus, J., Malmgren, O. and Hägg, U.
Mandibular growth during initial treatment with the Bass orthopaedic appliance in relation to age and growth periods 47
Ömblus, J., Malmgren, O., Pancherz, H., Hägg, U. and Hansen, K.
Long-term effects of Class II correction in Herbst and Bass therapy 185
Ostyn, J. M., Hons, I., Maltha, J. C., van 't Hof, M. A. and van der Linden, F. P. G. M.
Contribution of interdigitation to the occlusal development of the dentition in *Macaca fascicularis* 531

Pancherz, H. see Ömblus, J.
Paulsen, H. U.
Morphological changes of the TMJ condyles of 100 patients treated with the Herbst appliance in the period of puberty to adulthood: a long-term radiographic study 657
Pearson, M. H., Robinson, S. N., Reed, R., Birnie, D. J. and Zaki, G. A.
Management of palatally impacted canines: the findings of a collaborative study 511
Peltomäki, T., Kylämarkula, S., Vinkka-Puhakka, H., Rintala, M., Kantomaa, T. and Rönning, O.
Tissue-separating capacity of growth cartilages 473
Persson, M. see Marcusson, A.
Pietilä, K., Grön, M. and Alvesalo, L.
The craniofacial complex in karyotype 46,XY females 383
Pilley, J. R., Mohlin, B., Shaw, W. C. and Kingdon, A.
A survey of craniomandibular disorders in 500 19-year-olds 57
Pirinen, S. see Kovero, O.
Poggio, C. E. see Ferrario, V. F.
Prahl-Andersen, B. see van Spronsen, P. H.

Radlanski, R. J. see Jost-Brinkmann, P.-G.
Reed, R. see Pearson, M. H.
Rice, D. P. C., Roberts, G. J. and Thomas, M. L.
Catch-up growth induced by growth hormone in the craniofacial skeleton of the Snell strain of the hypopituitary dwarf mouse 141
Richardson, A. see Coulter, J.
Richmond, S. see Benson, P. E.
Rimes, R. J., Mitchell, C. N. T. and Willmot, D. R.
Maxillary incisor root resorption in relation to the ectopic canine: a review of 26 patients 79
Rintala, M. see Peltomäki, T.
Roberts, G. J. see Rice, D. P. C.
Robinson, S. N. see Pearson, M. H.
Rönning, O. see Peltomäki, T.

Sandy, J. see Atack, N.
Saraç, M. see Cura, N.
Šćepan, I. see Babić, M.
Schmid, G. see Häsler, R.
Schwarzer, C. L. see Bumann, A.
Sforza, C. see Ferrario, V. F.
Shapiro, P. A. see Årtun, J.
Shaw, W. C. see Pilley, J. R.
Shroff, B., Lindauer, S. J. and Burstone, C. J.
Class II subdivision treatment with tip-back moments 93
Singh, G. D., McNamara, J. A. Jr and Lozanoff, S.
Thin-plate spline analysis of the cranial base in subjects with Class III malocclusion 341
So, L. L. Y. see Wong, G. W. K.; Yuen, K. K. W.
Sonko, A. see Tschill, P.
Spadafora, A. T. see Årtun, J.
Spyropoulos, M. N. and Linder-Aronson, S.
Evaluation of facial features in two groups of cleft lip and palate patients receiving centralized and non-centralized treatment regimes 411
Spyropoulos, M. N. and Tsolakis, A. I.
Altered mandibular function and prevention of skeletal asymmetries after unilateral condylectomy in rats 211
Spyropoulos, M. N., Tsolakis, A. I., Katsavrias, E. and Alexandridis, K.
Effects of experimental unilateral condylectomy followed by altered mandibular function on the maxilla and zygoma 205
Spyropoulos, M. N. see Tsolakis, A. I.
Stenvik, A., Espeland, L. and Mathisen, A.
A longitudinal study of subjective and objective orthodontic treatment need 85
Stenvik, A., Espeland, L., Linge, B. O. and Linge, L.
Lay attitudes to dental appearance and need for orthodontic treatment 271
Stewart, F. N., Kerr, W. J. S. and Taylor, P. J. S.
Appliance wear: the patient's point of view 377

Tan, L. S., Lew, K. K. K. and Toh, S. L.
Effects of dietary oil contamination and absence of prophylaxis on orthodontic bonding 109
Tang, E. L. K. see Yuen, K. K. W.
Taylor, P. J. S. see Stewart, F. N.
Thomas, M. L. see Rice, D. P. C.
Toh, S. L. see Tan, L. S.
Tschill, P., Bacon, W. and Sonko, A.
Malocclusion in the deciduous dentition of Caucasian children 361
Tsolakis, A. I. and Spyropoulos, M. N.
An appliance designed for experimental mandibular hyperpropulsion in rats 1
Tsolakis, A. I. see Spyropoulos, M. N.
Tsolakis, A. I., Spyropoulos, M. N., Katsavrias, E. and Alexandridis, K.
Effects of altered mandibular function on mandibular growth after condylectomy 9

Üçem, T. see Yüksel, S.
Üner, O. see Darendeliler, M. A.

Valk, J. see van Spronsen, P. H.
van der Linden, F. P. G. M. see Ostyn, J. M.
van Ginkel, F. C. see van Spronsen, P. H.
van Spronsen, P. H., Koolstra, J. H., van Ginkel, F. C., Weijs, W. A., Valk, J. and Prahl-Andersen, B.
Relationships between the orientation and moment arms of the human jaw muscles and normal craniofacial morphology 313
van 't Hof, M. A. see Ostyn, J. M.
Vandevska-Radunovic, V., Kvinnsland, S. and Kvinnsland, I. H.
Effect of experimental tooth movement on nerve fibres immunoreactive to calcitonin

gene-related peptide, protein gene product 9.5, and blood vessel density and distribution in rats 517
Vinkka-Puhakka, H. see Peltomäki, T.

Weijs, W. A. see van Spronsen, P. H.
Weiland, F. J., Jonke, E. and Bantleon, H. P.
Secular trends in malocclusion in Austrian men 355
Willmot, D. R. see Rimes, R. J.
Wisth, P. J. see Birkeland, K.
Wong, G. W. K., So, L. L. Y. and Hägg, U.
A comparative study of sagittal correction with the Herbst appliance in two different ethnic groups 195

Yamane, A., Fukui, T. and Chiba, M.
In vitro measurement of orthodontic tooth movement in rats given β-aminoproprionitrile or hydrocortisone using a time-lapse videotape recorder 21
Yen, E. H. K. see Bumann, A.
Yuen, K. K. W., So, L. L. Y. and Tang, E. L. K.
Mesiodistal crown diameters of the primary and permanent teeth in Southern Chinese—a longitudinal study 721
Yüksel, S. and Üçem, T.
The effect of tooth agenesis on dentofacial structures 71

Zaki, G. A. see Pearson, M. H.

European Journal of Orthodontics 19 (1997) 739–753

© 1997 European Orthodontic Society

European Journal of Orthodontics

Volume 19 (1997) Subject entries

Abstract section—page numbers are given first followed by the abstract number in parentheses

Acetyl salicylic acid
The effect of . . . on orthodontic tooth movement 562 (22)
Activator–headgear appliance
How effective is the . . . in finishing cases? 557 (12)
Aesthetic improvement of the lips
. . . using face masks in the treatment of Class III malocclusions 595 (116)
Aesthetic ratings
A method to correlate . . . and cephalometric variables 461 (49)
Aesthetics and individuality
. . . in orthodontics 462 (52)
Airway dimensions
Cephalometric norms for . . . in young Finnish adults 566 (34)
Angiogenic growth factors
. . . identified in human pulp following orthodontic force 564 (26)
Anterior crossbite
Responses of mouse periodontal mechanoreceptors to experimentally induced . . . 459 (42)
Anterior dental aesthetics
. . . : the role of the orthodontist 454 (29)
Anterior teeth
Correction of . . . in adults 463 (56)
Apical root resorption
Early radiographic diagnosis of . . . during orthodontic treatment 583 (83)
Arch-guided molar distalization
Biomechanical analysis of . . . employing superelastic NiTi coil springs 592 (109)
Asymmetrical headgear
The . . . with internal hinge applied in Class II patients 601 (135)
Axis of inertia
The . . . as a new tool to assess three-dimensional maxillofacial balance 455 (32)

BCLP
Palatal growth in . . . from birth until 4 years of age 451 (21)
Bilateral complete clefts
Evaluation of disturbed growth and development in . . . 574 (56)
Bite force
. . . , jaw muscle thickness and facial morphology 590 (103)
Blood flow
Effect of denervation on . . . incident to experimental tooth movement 599 (128)
Bone development
Influence of muscle function on . . . in growing rats 601 (133)
Bone healing
Biomechanical and histological evaluation of . . . using osteopromotive substances 453 (26)
Bracket types
Variation in plastic deformation between different . . . and manufacturers 570 (44)
Variation in torque play between different . . . and manufacturers 466 (62)

Canine retraction
A finite element analysis of stress during . . . 584 (86)
Cardiovascular responses
Masticatory activity and . . . whilst chewing gum of different toughness 568 (39)
Cell adhesion molecules
Expression of . . . on normal human osteoblasts and alteration in response to mechanical strain 578 (68)
Centre of rotation
The value of the . . . in the displacement of tooth and bone structures 447 (11)
Cephalometric changes
. . . from medieval to modern man in Spain 569 (42)
Cephalometric landmarks
Error distribution of . . . articulare, basion and opisthion after superimpositioning on the foramen magnum 600 (131)
Cephalometric patterns
The relationship between TMJ problems, occlusion and . . . 585 (87)
Ceramic brackets
Bonding . . . with composites and glass ionomers to gold, amalgam and porcelain 577 (64)
Torque strength of . . . 576 (63)
Cervical vertebrae
The correlation between . . . and hand–wrist radiographs 591 (106)
Chewing efficiency
. . . and reproducibility in relation to the shape of the masticated test material 590 (104)
Chewing gum
Masticatory activity and cardiovascular responses whilst . . . of different toughness 568 (39)
Chewing muscles
Fatigue in . . . of patients with craniomandibular dysfunction—a pilot study 580 (74)
Topographic and temporal representation of fatigue in the . . . during sustained contraction 593 (113)
Chlorhexidine chewing-gum
The effect of . . . on plaque and gingivitis in patients with fixed orthodontic appliances 456 (34)
Class II cases
Cephalometric evaluation of stability of Jasper jumper treatment in . . . 581 (76)
Class II division 1 cases
Post-retention stability of . . . treated with an activator 566 (33)
Class II division 1 malocclusions
Craniofacial changes in . . . 591 (107)

Magnetic resonance imaging of temporomandibular joints during functional treatment of skeletal . . . 556 (7)
The initial effects of the treatment of . . . with the Van Beek activator 555 (4)
Class II division 2 malocclusions
Influence of growth on vertical dimensions in . . . 591 (108)
Molar distalization with the pendulum appliance in . . . 446 (8)
Class II malocclusion
The use of the Jasper jumper for the correction of . . . in the young permanent dentition 463 (54)
Skeletal and occlusal changes in young subjects with untreated . . . 556 (8)
Class II orthopaedic treatment
The 'functional intrusor' in skeletal . . . 567 (36)
Class II patients
The asymmetrical headgear with internal hinge applied in . . . 601 (135)
Class III malocclusion
Correction of . . . in children using a face mask 444 (4)
Aesthetic improvement of the lips using face masks in the treatment of . . . 595 (116)
Cleft lip and palate
Gene mapping of . . . 465 (60)
Cleft palate repair
Occlusion and speech at 5 years of age after two different methods of . . . 583 (82)
Cleft patients
Metric examination of the palatal rugae in . . . 581 (75)
Cleft type and associated malformation
Analysis of data concerning . . . 573 (54)
CO_2 laser fraenectomy
Closure of midline diastemas following . . . 591 (105)
Cold- and hot-polymerizing synthetic resins
Residual monomer release from . . . in orthodontics 571 (48)
Collagen fibrils
Effects of continuous intrusive forces on the . . . of the periodontal ligament in humans 555 (6)
Collagen mRNA
. . . expression of periodontal fibroblasts by selected immunospecific stimulation of β_1-integrins 561 (19)
Collagen synthesis
. . . of human PDL fibroblasts after non-specific stimulation with the Flexcell system *in vitro* 588 (98)
Collagenase activity and . . . of PDL fibroblasts after orthodontic tooth movement 572 (49)
Computed cephalometric radiography
Dose reduction in . . . 587 (93)
Condylar cartilage growth activity
Mandibular hyperpropulsion and surgical periosteomy in animals: . . . 446 (7)
Condyle fossa
Relationships of the . . . after orthodontic treatment 571 (46)
Continuous and discontinuous force application
Comparison of . . . from the point of root resorption 579 (71)
Continuous intrusive forces
. . . induce root resorption in humans 568 (38)
Effects of . . . on the collagen fibrils of the periodontal ligament in humans 555 (6)
Craniofacial growth
Testosterone treatment effect on . . . in boys with delayed puberty 600 (132)
Craniofacial morphology
. . . in patients with oligodontia 458 (40)
A pattern of . . . in obstructive sleep apnoea 459 (44)
Head position and . . . 455 (31)
Craniofacial osseous defects
Guided bone regeneration using polytetrafluoroethylene membranes in . . . 558 (13)
Craniomandibular dysfunction
Fatigue in chewing muscles of patients with . . . —a pilot study 580 (74)
Crowding of the lower incisors
Dentofacial features associated with . . . 570 (43)
Cutaneous electrical stimulation
Perception of . . . before and after mandibular surgery 572 (50)
Cytochrome C oxidase
. . . activity in odontoclasts during experimental tooth movement 601 (134)

Dental aesthetics
. . . and the spread of excellence 448 (13)
. . . —the dentofacial parameter 445 (6)
Dental anthropology
. . . : a reference for the orthodontist 565 (29)
Dental arch form
Long-term stability of . . . in normal occlusion 451 (22)
Dental arch morphology
The effect of a deleterious sucking habit on . . . 589 (101)
Dental development
Variability in . . . among groups of Caucasians 587 (95)
Dental eruption
. . . continues after the Ru stage of skeletal maturation 452 (24)
Dental implantation
Correlation between stability and facial harmony, . . . and neuromuscular activity 568 (37)
Dental implants
. . . in orthodontics 463 (55)
Dental maturity
.. is advanced in Fragile-X syndrome 580 (73)
Developing calvarial bone
Osteoclasts in . . . 460 (45)
Distal movement
The speed of . . . of the upper first molars 577 (65)
DNA synthesis
Mechanical stretching induces . . . in human periodontal fibroblasts 556 (9)

Effect of denervation
. . . on blood flow incident to experimental tooth movement 599 (128)
Effect of stripping
. . . on the enamel of permanent teeth *in vitro* 590 (102)
Effects of chlorhexidine mouthwash on microbiological and clinical parameters 562 (21)
Enamel conditioners
Effects of various . . . on the shear bond strengths of a light-cured glass ionomer cement 560 (18)
Enamel demineralization

Effects of light- and self-cured orthodontic sealants on the prevention and inhibition of . . . *in vitro* 561 (20)
Enamel surfaces
Tensile test results of a new non-etch, light-cured bonding system on wet . . . 588 (96)
Enamel
Effect of stripping on the . . . of permanent teeth *in vitro* 590 (102)
Enhanced MRI
. . . in the diagnosis of early inflammatory changes in the TMJ in patients with juvenile chronic arthritis 582 (78)
Excitation patterns
Relationships between . . . in the masseter muscle before and after orthognathic surgery and post-operative stability 448 (14)
Experimental tooth movement
Effect of denervation on blood flow incident to . . . 599 (128)
Extraoral traction
Functional appliance therapy in combination with . . . and up-and-down elastics 464 (59)

Face mask
Correction of Class III malocclusion in children using a . . . 444 (4)
Face masks
Aesthetic improvement of the lips using . . . in the treatment of Class III malocclusions 595 (116)
Face mask therapy
Shape-coordinate analysis of skeletal changes induced by . . . 450 (19)
Effects of . . . on naso-oropharyngeal areas and dimensions 565 (31)
Effects of . . . on skeleto-dental structures and soft tissues 566 (32)
Facial aesthetics
Attitudes towards . . . and facial profile among various ethnic groups 447 (12)
Facial appearances
. . . and sexual dimorphism 462 (51)
Facial growth
. . . and long-term stability 458 (39)
Facial morphology
Bite force, jaw muscle thickness and . . . 590 (103)
Facial profile
Attitudes towards facial aesthetics and . . . among various ethnic groups 447 (12)
Fatigue
. . . in chewing muscles of patients with craniomandibular dysfunction—a pilot study 580 (74)
Topographic and temporal representation of . . . in the chewing muscles during sustained contraction 593 (113)
Finite element analysis
A . . . of stress during canine retraction 584 (86)
Fixed appliances
. . . : patient anticipated and reported side-effects 569 (41)
Flexcell system
Collagen synthesis of human PDL fibroblasts after non-specific stimulation with the . . . *in vitro* 588 (98)
Fluoride release capacities
An *in vitro* comparison of four different orthodontic adhesives and their shear bond strengths and . . . 567 (35)
Foramen magnum
Error distribution of cephalometric landmarks articulare, basion and opisthion after super-impositioning on the . . . 600 (131)
Fragile-X syndrome
Dental maturity is advanced in . . . 580 (73)
Frontal analysis
. . . in orthodontics 554 (2)
Frontal head posture
Reference structures for assessment of . . . 602 (138)
Functional appliance therapy
. . . in combination with extraoral traction and up-and-down elastics 464 (59)

Gene mapping
. . . of cleft lip and palate 465 (60)
Genetic linkage analysis
. . . of mandibular protrusion 555 (5)
Growth type and size
Relation of . . . in stature and craniofacie 554 (1)
Guided bone regeneration
. . . using polytetrafluoroethylene membranes in craniofacial osseous defects 558 (13)

Hand–wrist radiographs
The correlation between cervical vertebrae and . . . 591 (106)
Helkimo's Dysfunction Index
Comparison of orthognathic subjects with untreated individuals using SAM axiograph and . . . (HDI) 599 (127)
Herbst appliance
Has the . . . a rotational effect on the mandible? 466 (63)
Herbst appliance treatment
MRI diagnosis of TMJ remodelling during active . . . 559 (16)
Herbst treatment
Mandibular articular disc position in . . . 588 (97)
Temporomandibular joint adaptation in . . . : a prospective MRI and cephalometric roentgenographic study 461 (47)
The effect of TMJ growth changes on the position of the chin in . . . 580 (72)
TMJ findings with manual examination techniques during active . . . 559 (15)
Human incisors
An experimental study of orthodontic root resorption in . . . 596 (119)
Human mandible
Speckle interferometry applied to the biomechanical analysis of the . . . 595 (118)

IL-1α
Inflammation and tooth movement: localization of . . . in stressed periodontium 589 (100)
Incisor and premolar hypodontia
. . . : exclusion of candidate genes 444 (2)
Incisor position
Does stability or relapse of the . . . correspond to functional therapy? 452 (23)
Index of Orthodontic Treatment Need
The use of the . . . in schoolchildren and a referred population: an epidemiological survey 598 (126)
Inflammation and tooth movement
. . . : localization of IL-1α in stressed periodontium 589 (100)

β_1-Integrins
Collagen mRNA expression of periodontal fibroblasts by selected immunospecific stimulation of . . . 561 (19)
ISO-certification
. . . —fact or fiction? 459 (43)

Jasper jumper
The use of the . . . for the correction of Class II malocclusion in the young permanent dentition 463 (54)
Jasper jumper treatment
Cephalometric evaluation of stability of . . . in Class II cases 581 (76)
Jaw muscle thickness
Bite force, . . . and facial morphology 590 (103)
Jaw muscles
Motor and sensory changes of . . . after orthodontic discomfort 456 (35)
Junctional epithelium
Proliferative response of . . . to mechanical stimulation 602 (137)
Juvenile Chronic Arthritis
Enhanced MRI in the diagnosis of early inflammatory changes in the TMJ in patients with . . . 582 (78)

Lactobacilli
The effect of 0.05% NaF mouthrinse on salivary *Mutans streptococci* and . . . levels in orthodontic patients 579 (69)
Light-cured glass ionomer cement
Effects of contamination on the shear bond strengths of a . . . 559 (17)
Effects of various enamel conditioners on the shear bond strengths of a . . . 560 (18)
Lingual mandibular stimulator
The mandibular stimulator and the . . . : a new philosophy of mandibular advancement with fixed appliances 455 (33)
Lip bumper therapy
No effect of . . . on pressure from the lower lip on the lower incisors 575 (61)
Longitudinal growth changes
. . . in different facial aspects 596 (120)
Lower incisor position
Stability of the . . . after orthodontic treatment 595 (117)
Magnetic resonance images
. . . of spheno-occipital synchondrosis in humans and monkeys 586 (92)
Standardized evaluation of . . . using a metric TMJ-analysis 445
Magnetic resonance imaging
. . . of temporomandibular joints during functional treatment of skeletal Class II division 1 malocclusions 556 (7)

Malocclusion
Interaction between orthodontist and paediatrician in the early screening of . . . 586 (90)
Malocclusions
Distribution of facial types and . . . 446 (9)
Mandibular articular disc position
. . . in Herbst treatment 588 (97)
Mandibular deficiency
Evaluation of maxillary growth after surgical correction of . . . 582 (80)
Mandibular hyperpropulsion
. . . and surgical periosteomy in animals: condylar cartilage growth activity 446 (7)
Mandibular incisor alignment
A serial study of . . . from 20 to 70 years of age 602 (136)
Mandibular incisor extraction
. . . : indications and results 448 (15)
Mandibular lip bumper treatment
Perioral forces and dental changes with . . . 457 (38)
Mandibular protrusion
Genetic linkage analysis of . . . 555 (5)
Mandibular stimulator
The . . . and the lingual mandibular stimulator: a new philosophy of mandibular advancement with fixed appliances 455 (33)
Mandibular surgery
Perception of cutaneous electrical stimulation before and after . . . 572 (50)
Masseter muscle
Relationships between excitation patterns in the . . . before and after orthognathic surgery and post-operative stability 448 (14)
Masticatory activity
. . . and cardiovascular responses whilst chewing gum of different toughness 568 (39)
Masticatory function
Influence of . . . on transversal skull dimensions in growing rats 578 (66)
Masticatory movements
Characteristics of . . . in growing individuals: a longitudinal follow-up over 6 years 589 (99)
Masticatory muscle palpation
New trends to improve the reliability of . . . 586 (91)
Maxillary alveolar clefts
Autotransplantation of premolars in patients with . . . 447 (10)
Maxillary growth
Evaluation of . . . after surgical correction of mandibular deficiency 582 (80)
Mechanical stretching
. . . induces DNA synthesis in human periodontal fibroblasts 556 (9)
Metal brackets
Tensile bond strength of . . . bonded to treated porcelain 587 (94)
Midline diastemas
Closure of . . . following CO_2 laser fraenectomy 591 (105)
Molar distalization
. . . with the pendulum appliance in Class II division 2 malocclusions 446 (8)
Molar status
The . . . of 679 orthodontic patients in Western Ireland 585 (88)
Monobloc and twin-block appliances
Comparison of skeletal and dental effects of . . . 598 (125)
3T3 mouse fibroblasts
Static magnetic fields and PGE_2-synthesis in . . . 593 (111)
MRI analysis
Error measurements and normative values of the metric . . . 600 (130)
MRI diagnosis
. . . of TMJ remodelling during active Herbst appliance treatment 559 (16)
Muscle function
Influence of . . . on bone development in growing rats 601 (133)
Muscle recruitment processes
Characterization of . . . considering

anatomical and histochemical aspects of muscles 593 (112)
Mutans streptococci
Prevalence and transmission of . . . in cleft children 557 (11)
The effect of 0.05% NaF mouthrinse on salivary . . . and lactobacilli levels in orthodontic patients 579 (69)

NaF mouthrinse
The effect of 0.05% . . . on salivary *Mutans streptococci* and lactobacilli levels in orthodontic patients 579 (69)
Nasal cavity
The development of the . . . in children with clefts 444 (1)
Naso-oropharyngeal areas
Effects of facemask therapy on . . . 565 (31)
Neonatal orchidectomy
Effect of . . . on mandibular growth in male rats 563 (25)
Neuromuscular activity
Correlation between stability and facial harmony, dental implantation and . . . 568 (37)
Nitric oxide
. . . production in mechanically stimulated periodontal ligament cells. A novel mediator of tooth movement 564 (27)
Non-etch, light-cured bonding system
Tensile test results of a new . . . on wet enamel surfaces 588 (96)
Normal occlusion
Long-term stability of dental arch form in . . . 451 (22)

Obstructive sleep apnoea
. . . syndrome treated with a nocturnal removable appliance 454 (30)
A pattern of craniofacial morphology in . . . 459 (44)
Natural head posture, upper airway morphology and . . . 458 (41)
Occlusal features
. . . of schoolchildren in South-East Mexico City 571 (45)
Occlusion and speech
. . . at 5 years of age after two different methods of cleft palate repair 583 (82)
Occlusion
The relationship between TMJ problems, . . . and cephalometric patterns 585 (87)
Oligodontia
Craniofacial morphology in patients with . . . 458 (40)
Open bite
. . . : cephalometric prediction of post-retention overbite 557 (10)
. . . : stability of surgical versus non-surgical treatment 462 (50)
Open bites
Effects of growth pattern and extraction on . . . 573 (52)
Optical scanning and cephalometric assessment
. . . of the soft tissue effects of functional appliances 457 (37)
Oral shield
Effects of an . . . on orofacial muscle activity and structures 596 (121)
Orofacial muscle
Effects of an oral shield on . . . activity and structures 596 (121)
Orthodontic adhesives
An *in vitro* comparison of four different . . . and their shear bond strengths and fluoride release capacities 567 (35)
Orthodontic bonding resins
Cytotoxic properties of . . . 597 (122)
Orthodontic force
Angiogenic growth factors identified in human pulp following . . . 564 (26)
Orthodontic loading
An experimental and numerical study of periodontal ligament behaviour following . . . 576 (62)
Orthodontic practices
A survey of . . . in Australia 585 (89)
Orthodontic referrals
An audit of Irish . . . 565 (30)
Orthodontic sealants
Effects of light- and self-cured . . . on the prevention and inhibition of enamel demineralization *in vitro* 561 (20)
Orthodontic space closure
. . . after extraction of four permanent first molars: a method of analysis 594 (115)
Orthodontic tooth movement
Collagenase activity and collagen synthesis of PDL fibroblasts after . . . 572 (49)
The effect of acetyl salicylic acid on . . . 562 (22)
Orthodontic treatment
Success of . . . : results over 10 years 573 (53)
Orthodontic treatment decisions
A prospective study on . . . from patient and care system perspectives 569 (40)
Orthodontics in Hong Kong/China
. . . and in the future 572 (51)
Orthognathic subjects
Comparison of . . . with untreated individuals using SAM axiograph and Helkimo's Dysfunction Index (HDI) 599 (127)
Orthognathic surgery
Changes in the shape of the soft tissues at the angle of the mandible following . . . 454 (28)
Relationships between excitation patterns in the masseter muscle before and after . . . and post-operative stability 448 (14)
Self-perceptions and social and personal life 10–14 years after . . . 597 (123)
Osseointegrated implants
Orthodontic forces on . . . in the rabbit—a histological study 449 (18)
Osteoblasts
Expression of cell adhesion molecules on normal human . . . and alteration in response to mechanical strain 578 (68)
Osteoclasts
. . . in developing calvarial bone 460 (45)
Osteopromotive substances
Biomechanical and histological evaluation of bone healing using . . . 453 (26)
Overbite and craniomandibular disorders
Increased . . . : a retrospective study 574 (55)

Palatal implant anchorage reinforcement
. . . of posterior teeth: a clinical study 464 (57)
Palatal morphology
The effect of unilateral crossbite correction on . . . 583 (81)
Palatal rugae
Metric examination of the . . . in cleft patients 581 (75)
PAR Index
The . . . as a tool for treatment

planning and quality control 574 (58)
Patient attitudes
. . . to the wearing of gloves by orthodontists 578 (67)
PDL fibroblasts
Collagen synthesis of human . . . after non-specific stimulation with the Flexcell system *in vitro* 588 (98)
Collagenase activity and collagen synthesis of . . . after orthodontic tooth movement 572 (49)
Pendulum appliance
A clinical evaluation of the . . . 599 (129)
Periodontal fibres
Effects of splinting methods on the rearrangement of . . . after tooth movement 579 (70)
Periodontal fibroblasts
Collagen mRNA expression of . . . by selected immunospecific stimulation of β_1-integrins 561 (19)
Mechanical stretching induces DNA synthesis in human . . . 556 (9)
Periodontal ligament behaviour
An experimental and numerical study of . . . following orthodontic loading 576 (62)
Periodontal ligament cells
Nitric oxide production in mechanically stimulated . . . . A novel mediator of tooth movement 564 (27)
Periodontal mechanoreceptors
Responses of mouse . . . to experimentally induced anterior crossbite 459 (42)
Periodontium
Inflammation and tooth movement: localization of IL-1α in stressed . . . 589 (100)
Perioperative mesial force
Longitudinal . . . evaluation after third molar removal 450 (20)
Permanent teeth
Effect of stripping on the enamel of . . . *in vitro* 590 (102)
PG retraction system
Upper incisor retraction with the . . . 564 (28)
PGE_2-synthesis
Static magnetic fields and . . . in 3T3 mouse fibroblasts 593 (111)
Plastic deformation
Variation in . . . between different bracket types and manufacturers 570 (44)
Polytetrafluoroethylene membranes
Guided bone regeneration using . . . in craniofacial osseous defects 558 (13)
Posterior teeth
Palatal implant anchorage reinforcement of . . . : a clinical study 464 (57)
Post-operative stability
Relationships between excitation patterns in the masseter muscle before and after orthognathic surgery and . . . 448 (14)
Post-retention change
An analysis of the multifactorial nature of . . . 453 (27)
Post-retention lower incisor crowding
Vertical control and predictability of . . . 460 (46)
Post-retention stability
. . . of Class II division 1 cases treated with an activator 566 (33)
Premolars
Autotransplantation of . . . in patients with maxillary alveolar clefts 447 (10)
Prosthetic and periodontal-prophylactic measures
New materials for uprighting molars as . . . 464 (58)
Pseudo-Class III malocclusions
Early treatment of . . . : the dental and soft tissue changes 571 (47)
Pulpal tissue changes
. . . due to intrusion 554 (3)

Radiographic diagnosis
Early . . . of apical root resorption during orthodontic treatment 583 (83)
Rapid maxillary expansion
Stability following . . . 597 (124)
Relapse
. . . 581 (77)
Residual monomer release
. . . from cold- and hot-polymerizing synthetic resins in orthodontics 571 (48)
Root resorption
An experimental study of orthodontic . . . in human incisors 596 (119)
Can . . . be avoided, stopped, repaired? 461 (48)
Comparison of continuous and discontinuous force application from the point of . . . 579 (71)
Continuous intrusive forces induce . . . in humans 568 (38)
Prevalence of . . . pre- and post-orthodontic treatment 558 (14)
Ru stage of skeletal maturation
Dental eruption continues after the . . . 452 (24)

SAM axiograph
Comparison of orthognathic subjects with untreated individuals using . . . and Helkimo's Dysfunction Index (HDI) 599 (127)
Search for excellence
The . . . in orthodontics—is it really necessary?465 (61)
Self-perceptions
. . . and social and personal life 10–14 years after orthognathic surgery 597 (123)
Shape-coordinate analysis
. . . of skeletal changes induced by face mask therapy 450 (19)
Shear bond strengths
An *in vitro* comparison of four different orthodontic adhesives and their . . . and fluoride release capacities 567 (35)
Effects of contamination on the . . . of a light-cured glass ionomer cement 559 (17)
Effects of various enamel conditioners on the . . . of a light-cured glass ionomer cement 560 (18)
Skeleto-dental structures
Effects of facemask therapy on . . . and soft tissues 566 (32)
Soft tissues
Changes in the shape of the . . . at the angle of the mandible following orthognathic surgery 454 (28)
Effects of facemask therapy on skeleto-dental structures and . . . 566 (32)
Soft tissue effects
Optical scanning and cephalometric assessment of the . . . of functional appliances 457 (37)
Speckle interferometry
. . . applied to the biomechanical

analysis of the human mandible 595 (118)
Spheno-occipital synchondrosis
Magnetic resonance images of . . . in humans and monkeys 586 (92)
Splinting methods
Effects of . . . on the rearrangement of periodontal fibres after tooth movement 579 (70)
Static magnetic fields
. . . and PGE_2-synthesis in 3T3 mouse fibroblasts 593 (111)
Static magnetic fields
The effect of . . . on molecular and cellular activities 575 (59)
Stomatognathic functional analyser
A new . . . 457 (36)
Sucking habit
The effect of a deleterious . . . on dental arch morphology 589 (101)
Superelastic archwires
Different force levels within . . . of constant dimension 575 (60)
Superelastic NiTi coil springs
Biomechanical analysis of arch-guided molar distalization employing . . . 592 (109)
Laboratory analysis of . . . 592 (110)
Supernumerary teeth
The importance of early diagnosis of numerical variations in . . . 562 (23)
Surgical periosteomy
Mandibular hyperpropulsion and . . . in animals: condylar cartilage growth activity 446 (7)

Temporomandibular joint adaptation
. . . in Herbst treatment: a prospective MRI and cephalometric roentgenographic study 461 (47)
Temporomandibular joints
Magnetic resonance imaging of . . . during functional treatment of skeletal Class II division 1 malocclusions 556 (7)
Tensile bond strength
. . . of metal brackets bonded to treated porcelain 587 (94)
Testosterone treatment
. . . effect on craniofacial growth in boys with delayed puberty 600 (132)
Third molar
The . . . : problems, prediction and reality 563 (24)
Three-dimensional maxillofacial balance
The axis of inertia as a new tool to assess . . . 455 (32)
Tissue reactions
Ultrastructure of . . . after continuous intrusion in humans: an intra-individual study 449 (16)
Titanium brackets
Clinical aspects concerning the use of . . . 582 (79)
TMJ
Enhanced MRI in the diagnosis of early inflammatory changes in the . . . in patients with juvenile chronic arthritis 582 (78)
TMJ-analysis
Standardized evaluation of magnetic resonance images using a metric . . . 445 (5)
TMJ findings
. . . with manual examination techniques during active Herbst treatment 559 (15)
TMJ growth changes
The effect of . . . on the position of the chin in Herbst treatment 580 (72)
TMJ problems
The relationship between . . . , occlusion and cephalometric patterns 585 (87)
TMJ remodelling
MRI diagnosis of . . . during active Herbst appliance treatment 559 (16)
Tongue movement
Variability of . . . during normal swallowing and tongue thrust 574 (57)
Tooth movement
Effects of splinting methods on the rearrangement of periodontal fibres after . . . 579 (70)
Torque play
Variation in . . . between different bracket types and manufacturers 466 (62)
Transposition of teeth
. . . : occurrence, diagnosis and management 594 (114)
Transversal skull dimensions
Influence of masticatory function on . . . in growing rats 578 (66)
Treatment outcome
Evaluation of . . . by orthodontic specialists 444 (3)

UCLP
Treatment results after . . . : a longitudinal study 584 (84)
Unilateral cleft lip and palate
Three-dimensional analysis of growth changes in complete . . . (UCLP) patients 462 (53)
Unilateral crossbite correction
The effect of . . . on palatal morphology 583 (81)
Upper first molars
The speed of distal movement of the . . . 577 (65)
Upper incisor retraction
. . . with the PG retraction system 564 (28)
Upper permanent canine eruption
Analysis of . . . 449 (17)

Value of information
The . . . and the cost of uncertainty: who pays the bill? 452 (25)
Van Beek activator
The initial effects of the treatment of Class II division 1 malocclusions with the . . . 555 (4)
Van Beek activator therapy
Dentofacial changes with . . . 584 (85)

Author entries

Abe, K., Suzuki, A., Murakami, T., Matuda, M. and Hamano, Y.
Relation of growth type and size in stature and craniofacie 554 (1)
Abeleira, M. T., Domínguez, S., Suárez-Quintanilla, D., Shetty, V., Campaña, M. and Barreiro, J.
Frontal analysis in orthodontics 554 (2)
Abeleira, M. T. see Domínguez, S.; Suárez-Quintanilla, D.
Acar, A., Küçükkeleş, N., Arbak, S. and Ercan, F.

Pulpal tissue changes due to intrusion 554 (3)
Acar, A. see Kocaağa, M.
Adamidis, I. P., Spyropoulos, M. N. and Angelopoulos, G. G.
The development of the nasal cavity in children with clefts 444 (1)
Aeschelmann, D. see Horn, H.
Alarcón, J. A. see Martin, C.
Album, B. see Czochrowska, E.
Alcázar, J. see Puigdollers, A.
Allam, K. see Labib, A.
Altenburger, E. and Ingervall, B.
The initial effects of the treatment of Class II division 1 malocclusions with the Van Beek activator 555 (4)
Anders, Ch. see Scholle, H. Ch.; Schumann, N. P.
Angelopoulos, G. G. see Adamidis, I. P.
Araki, M. and Niwa, K.
Genetic linkage analysis of mandibular protrusion 555 (5)
Arana-Chavez, V. E., Faltin, R. M., Faltin, K. and Sander, F. G.
Effects of continuous intrusive forces on the collagen fibrils of the periodontal ligament in humans 555 (6)
Arana-Chavez, V. E. see Faltin, R. M.
Aras, K. see Öztosun, G.; Ünlü, B.
Arat, M., Gökalp, H., Erdoğan, B., Erdem, D., Erden, I. and Çiftçi, E.
Magnetic resonance imaging of temporomandibular joints during functional treatment of skeletal Class II division 1 malocclusions 556 (7)
Arat, M. see Erdoğan, B.
Arbak, S. see Acar, A.
Arte, S., Nieminen, P., Pirinen, S., Peltonen, L. and Thesleff, I.
Incisor and premolar hypodontia: exclusion of candidate genes 444 (2)
Arun, T. see Evrenol, B.; Ünlü, B.
Aschenbrenner, U. see Carvalho, R. S.
Ash, M. M. Jr see Tallgren, A.
Athanasiou, A. E. see Terzoudi, T.
Avancini, M. P. see Faltin, K.
Axmann-Krcmar, D. see Horn, H.

Baccetti, T. and Franchi, L.
Skeletal and occlusal changes in young subjects with untreated Class II malocclusions 556 (8)
Baccetti, T. see Franchi, L.
Bacher, M. see Horn, H.
Bajka, R. see Levander, E.
Balkanlı, O. see Kılıçoğlu, H.
Barbato, E. see Malagola, C.
Barnard, P. D. see McNaught, A. J.
Barreiro, J. see Abeleira, M. T.
Basdra, E. K. and Kletsas, D.
Mechanical stretching induces DNA synthesis in human periodontal fibroblasts 556 (9)
Basdra, E. K. see Stellzig, A.
Baumrind, S.
Evaluation of treatment outcome by orthodontic specialists 444 (3)
Beckmann, S. H. and Segner, D.
Open bite: cephalometric prediction of post-retention overbite 557 (10)
Beckmann, S. H. see Kuitert, R.
Benedetti, M. see Bosch, C.
Bérmudez de Castro, T. M. see Domínguez, S.
Bianco, M. see Martina, R.
Biedermann, F. see Scholle, H. Ch.
Bjerkhoel, A. see Kurol, E.
Blake, M. see Dowling, P. A.
Böhme, A. see Jost-Brinkmann, P.-G.
Bokhout, B., van Loveren, C. and de Soet, H.
Prevalence and transmission of *Mutans streptococci* in cleft children 557 (11)
Bondevik, O.
How effective is the activator–headgear appliance in finishing cases? 557 (12)
Bosch, C. and Melsen, B.
Prevalence of root resorption pre- and post-orthodontic treatment 558 (14)
Bosch, C., Benedetti, M. and Melsen, B.
Correction of Class III malocclusion in children using a face mask 444 (4)
Bosch, C., Melsen, B. and Vargervik, K.
Guided bone regeneration using polytetrafluoroethylene membranes in craniofacial osseous defects 558 (13)
Bosch, C. see Jones, L.
Bourauel, C. see Schneevoigt, R.
Bradl, U. see Scholle, H. Ch.
Bravo, L. A. see Fernández, E.
Buergin, W. B. see Firestone, A. R.
Bumann, A.
Standardized evaluation of magnetic resonance images using a metric TMJ-analysis 445 (5)
Bumann, A. and Kaddah, A.
MRI diagnosis of TMJ remodelling during active Herbst appliance treatment 559 (16)
Bumann, A. and Kaddah, A.
TMJ findings with manual examination techniques during active Herbst treatment 559 (15)
Bumann, A. see Carvalho, R. S.; Gürseler, Y.; Panagiotis, K. N.; Vargas Pereira, M. R.
Burguela, M. see Suárez, D.
Burke, F. J. T. see Kearns, H. P. O.

Çakar, A. see Ciğer, S.
Cacciafesta, V., Süßenberger, U. and Jost-Brinkmann, P.-G.
Effects of various enamel conditioners on the shear bond strengths of a light-cured glass ionomer cement 560 (18)
Cacciafesta, V., Süßenberger, U., Jost-Brinkmann, P.-G. and Miethke, R.-R.
Effects of contamination on the shear bond strengths of a light-cured glass ionomer cement 559 (17)
Cacciafesta, V. see Jost-Brinkmann, P.-G.
Campaña, M. see Abeleira, M. T.
Canut, J.
Dental aesthetics—the dentofacial parameter 445 (6)
Canut, J. A. see Suárez-Quintanilla, D.
Canyürek, Ü. see Kocaağa, M.
Carels, C. see De Ridder, L.; Verdonck, A.
Carvalho, R. S., Bumann, A., Winoto-Morbach, S., Tchikov, V., Kronlage, M. and Aschenbrenner, U.
Collagen mRNA expression of periodontal fibroblasts by selected immunospecific stimulation of β_1-integrins 561 (19)
Carvalho, R. S. see Gürseler, Y.; Panagiotis, K. N.; Vargas Pereira, M. R.
Chae, S. W., Yoon, Y. J. and Kim, K. W.
Effects of light- and self-cured orthodontic sealants on the prevention and inhibition of enamel demineralization *in vitro* 561 (20)

Chaqués-Asensi, J., Oyen, O. J. and Enlow, D. H.
Mandibular hyperpropulsion and surgical periosteomy in animals: condylar cartilage growth activity 446 (7)
Chiodo, B. P. see Malagola, C.
Christiansen, R. L. see Tallgren, A.
Çiftçi, E. see Arat, M.
Ciğer, S., Kavuklu, İ., Uluçam, R. and Çakar, A.
Effects of chlorhexidine mouthwash on microbiological and clinical parameters 562 (21)
Ciğer, S., Kavuklu, İ and Koray, Z.
The effect of acetyl salicylic acid on orthodontic tooth movement 562 (22)
Cingi, A. see Magni, F.
Cisman Bogdan, D. see Cocârlă, E.
Cobo, J. M.
Molar distalization with the pendulum appliance in Class II division 2 malocclusions 446 (8)
Cocârlă, E. and Cisman Bogdan, D.
The importance of early diagnosis of numerical variations in supernumerary teeth 562 (23)
Costa, A. and Costa, M.
Distribution of facial types and malocclusions 446 (9)
Costa, M. see Costa, A.
Cudovic, B. see Speth, C.
Czochrowska, E., Semb, G., Stenvik, A., Album, B. and Zachrisson, B.
Autotransplantation of premolars in patients with maxillary alveolar clefts 447 (10)

Dahl-Oscarson, N., Delavaux, U. and Persson, M.
The third molar: problems, prediction and reality 563 (24)
Danias, C. see Jones, M. L.
De Pauw, G. and Dermaut, L. R.
The value of the centre of rotation in the displacement of tooth and bone structures 447 (11)
De Ridder, L., Verdonck, A. and Carels, C.
Effect of neonatal orchidectomy on mandibular growth in male rats 563 (25)
De Rojas, J. see Marin, J. M.
de Soet, H. see Bokhout, B.
de Zegher, F. see Verdonck, A.
del Canto Pingarron, M. see Rivero Lesmes, J. C.
Delavaux, U. see Dahl-Oscarson, N.
Demirel, H. see Üçüncü, N.
Dermaut, L. R. see De Pauw, G.
Derringer, K. A. and Linden, R. W. A.
Angiogenic growth factors identified in human pulp following orthodontic force 564 (26)
Dibbets, J. M. H. see Verbeek, H. P. J.
DiBiase, A. T. and Hughes, F. J.
Nitric oxide production in mechanically stimulated periodontal ligament cells. A novel mediator of tooth movement 564 (27)
Diedrich, P. R. see Fuhrmann, R. A. W.; Wehrbein, H.
Dinc, A. see Erdem, D.
Dincer, M., Gülşen, A., Turk, T. and Elekdag, S.
Upper incisor retraction with the PG. retraction system 564 (28)
Doll, G. M., Zentner, A., Holla, U. and Sergl, H. G.
Attitudes towards facial aesthetics and facial profile among various ethnic groups 447 (12)
Domínguez, S. see Abeleira, M. T.
Domínguez, S., Abeleira, M. T., Suárez, D., Bérmudez de Castro, T. M., Masa, M. C., Lukacs, J. R. and Rodríguez, C.
Dental anthropology: a reference for the orthodontist 565 (29)
Dowling, P. A., Garvey, M. T., Blake, M. and McNamara, C. M.
An audit of Irish orthodontic referrals 565 (30)
Duterloo, H.
Dental aesthetics and the spread of excellence 448 (13)

Eckardt, L., Harzer, W. and Trenkmann, U.
Relationships between excitation patterns in the masseter muscle before and after orthognathic surgery and post-operative stability 448 (14)
Eckardt, L. see Schneevoigt, R.
Ekstrand, J. see Tang, A. T. H.
Elekdag, S. see Dincer, M.
Enlow, D. H. see Chaqués-Asensi, J.
Ercan, F. see Acar, A.
Erdem, D., Dinc, A. and Gokalp, H.
Effects of facemask therapy on naso-oropharyngeal areas and dimensions 565 (31)
Erdem, D., Dinc, A. and Gokalp, H.
Effects of facemask therapy on skeleto-dental structures and soft tissues 566 (32)
Erdem, D. see Arat, M.
Erden, I. see Arat, M.
Erdoğan, B. and Arat, M.
Post-retention stability of Class II division 1 cases treated with an activator 566 (33)
Erdoğan, B. see Arat, M.
Ertugay, E. see Üçüncü, N.
Erverdi, N. see Kocaağa, M.; Öztosun, G.
Eslambolchi, S. see Woodside, D. G.
Espeland, L. see Fernandes, M. L.; Nykänen, R.
Etienne, G. see Madrid, C.
Eto, K. see Piyapattarnin, T.
Evälahti, M., Nyström, M., Kotilainen, J. and Kataja, M.
Cephalometric norms for airway dimensions in young Finnish adults 566 (34)
Evrenol, B., Arun, T. and Küçükkeleş, N.
An *in vitro* comparison of four different orthodontic adhesives and their shear bond strengths and fluoride release capacities 567 (35)

Facal-Garcia, A.
The 'functional intrusor' in skeletal Class II orthopaedic treatment 567 (36)
Færøvig, E. and Zachrisson, B. U.
Mandibular incisor extraction: indications and results 448 (15)
Faltin, K., Avancini, M. P., Kessner, C. A. and Jorge, W. A.
Correlation between stability and facial harmony, dental implantation and neuromuscular activity 568 (37)
Faltin, K. see Arana-Chavez, V. E.; Faltin, R. M.
Faltin, R. M., Arana-Chavez, V. E., Faltin, K. and Sander, F. G.
Ultrastructure of tissue reactions after continuous intrusion in humans: an intra-individual study 449 (16)
Faltin, R. M., Arana-Chavez, V. E., Faltin, K. Jr and Sander, F. G.
Continuous intrusive forces

induce root resorption in humans 568 (38)
Faltin, R. M. see Arana-Chavez, V. E.
Farella, M., Martina, R., Marotta, G. and Michelotti, A.
Masticatory activity and cardiovascular responses whilst chewing gum of different toughness 568 (39)
Farella, M. see Martina, R.
Faubert, Ch. see Pancherz, H.
Feifel, H. see Wehrbein, H.
Fernandes, M. L., Espeland, L. and Stenvik, A.
A prospective study on orthodontic treatment decisions from patient and care system perspectives 569 (40)
Fernández, E. and Bravo, L. A.
Analysis of upper permanent canine eruption 449 (17)
Fernández, J. R. see Suárez, D.
Fernández, P. see Suárez, D.
Finotti, M., Miotti, A. M., Napolitano, C. and Miotti, F. A.
Orthodontic forces on osseointegrated implants in the rabbit—a histological study 449 (18)
Firestone, A. R., Häsler, R. U. and Ingervall, B.
Success of orthodontic treatment: results over 10 years 573 (53)
Firestone, A. R., Scheurer, P. A. and Buergin, W. B.
Fixed appliances: patient anticipated and reported side-effects 569 (41)
Fischbach, H. see Kahl-Nieke, B.
Fleetham, J. A. see Özbek, M. M.
Fraile, J. L.
Cephalometric changes from medieval to modern man in Spain 569 (42)
Franchi, L. and Baccetti, T.
Shape-coordinate analysis of skeletal changes induced by face mask therapy 450 (19)
Franchi, L., Baccetti, T., Sacerdoti, R. and Tollaro, I.
Dentofacial features associated with crowding of the lower incisors 570 (43)
Franchi, L. see Baccetti, T.
Franklin, S. see Rossouw, P. E.
Frohmann, M., Kastrup Larsen, K., Sielaff, H. and Meling, T.
Variation in plastic deformation between different bracket types and manufacturers 570 (44)
Frohmann, M., Kastrup Larsen, K., Sielaff, H. and Melling, T.
Variation in torque play between different bracket types and manufacturers 466 (62)
Fu, M. K. see Hägg, U.
Fuhrmann, R. A. W., Grave, C. W. and Diedrich, P. R.
Longitudinal perioperative mesial force evaluation after third molar removal 450 (20)
Fujita, K. see Takiguchi, R.

Gaethofs, M. see Verdonck, A.
Garcia-López, S., Villanueva-Arriaga, R., Rodríguez, M. and Macín-Cabrera, S.
Occlusal features of schoolchildren in South-East Mexico City 571 (45)
Garvey, M. T. see Dowling, P. A.
Gelineck, J. see Küseler, A.
Ghosh, J. see Nanda, R. S.
Glišić, B. see Šćepan, I.
Gökalp, H. see Arat, M.; Erdem, D.
González, M. C. see Suárez-Quintanilla, D.
González-Cuesta, F. J.
Relationships of the condyle fossa after orthodontic treatment 571 (46)
Goodwin, P. see McDonagh, S.
Göz, G. R. see Horn, H.
Grave, C. W. see Fuhrmann, R. A. W.
Gu, Y. and Rabie, A. B. M.
Early treatment of pseudo-Class III malocclusions: the dental and soft tissue changes 571 (47)
Guembe, C., Witt, E. and Thull, R.
Residual monomer release from cold- and hot-polymerizing synthetic resins in orthodontics 571 (48)
Gülşen, A. see Dincer, M.
Gültan, A. see Tümer, N.
Gürseler, Y., Carvalho, R. S., Overall, C. M. and Bumann, A.
Collagenase activity and collagen synthesis of PDL fibroblasts after orthodontic tooth movement 572 (49)

Haase, A. see Schneevoigt, R.
Hagberg, C.
Perception of cutaneous electrical stimulation before and after mandibular surgery 572 (50)
Hagberg, C. see Wong, F.-k.
Hägg, U. and Fu, M. K.
Orthodontics in Hong Kong/China and in the future 572 (51)
Hahessy, A. see McNamara, C. M.
Hallscheidt, S., Seitz, O., Schulte-Mönting, J. and Jonas, I. E.
Effects of growth pattern and extraction on open bites 573 (52)
Hamano, Y. see Abe, K.
Hansen, K. see Näslund, E.-B.
Harzer, W. see Eckardt, L.; Schneevoigt, R.
Häsler, R. U. see Firestone, A. R.
Hauser, Ch., Stellzig, A. and Komposch, G.
Analysis of data concerning cleft type and associated malformation 573 (54)
Hauser, Ch. see Stellzig, A.
Heaney, T. G. see Zentner, A.
Heidbüchel, K. L. W. M., Kuijpers-Jagtman, A. M. and Prahl-Andersen, B.
Palatal growth in BCLP from birth until 4 years of age 451 (21)
Hellsing, E.
Increased overbite and craniomandibular disorders: a retrospective study 574 (55)
Henrikson, J., Persson, M. and Thilander, B.
Long-term stability of dental arch form in normal occlusion 451 (22)
Herlin, T. see Küseler, A.
Hickman, J. see Jones, M. L.
Hirschfelder, U.
Does stability or relapse of the incisor position correspond to functional therapy? 452 (23)
Holla, U. see Doll, G. M.
Holtgrave, E. A. and Stoltenburg-Didinger, G.
Evaluation of disturbed growth and development in bilateral complete clefts 574 (56)
Horn, H., Göz, G. R., Bacher, M., Luther, J. and Axmann-Krcmar, D.
Variability of tongue movement during normal swallowing and tongue thrust 574 (57)
Horn, H., Göz, G. R., Neuscheler, C., Aeschelmann, D. and Axmann-Krcmar, D.

The PAR Index as a tool for treatment planning and quality control 574 (58)
Howell, S see McNaught, A. J.
Huggare, J. see Razavi, S.; Zepa, I.
Hughes, F. J. see DiBiase, A. T.
Hwang, H.-S., Park, J.-G., Lee, J.-J. and Kim, J.-C.
The effect of static magnetic fields on molecular and cellular activities 575 (59)
Hwang, H.-S. see Kim, J.-C.

Ibe, D. and Segner, D.
Different force levels within superelastic archwires of constant dimension 575 (60)
Ichida, T. see Takiguchi, R.
Ideberg, M. see Wong, F.-k.
Ingervall, B. and Thüer, U.
No effect of lip bumper therapy on pressure from the lower lip on the lower incisors 575 (61)
Ingervall, B. see Altenburger, E.; Firestone, A. R.; Stucki, N.
Inglezos, E. see Wichelhaus, A.
Işeri, H. see Toygar Memikoğlu, T. U.
Işeri, H. and Solow, B.
Dental eruption continues after the Ru stage of skeletal maturation 452 (24)

Jaeger, M. see Madrid, C.
Jakšić, N. see Šćepan, I.
Johnston, L. E. Jr
The value of information and the cost of uncertainty: who pays the bill? 452 (25)
Jonas, I. see Schneider, F.; Wagner, R.
Jonas, I. E. see Hallscheidt, S.; Kypreos, G.
Jones, L., Bosch, C., Mosekilde, L., Thomsen, J. S. and Melsen, B.
Biomechanical and histological evaluation of bone healing using osteopromotive substances 453 (26)
Jones, M. L., Middleton, J., Hickman, J., Volp, C. and Danias, C.
An experimental and numerical study of periodontal ligament behaviour following orthodontic loading 576 (62)
Jonkman, R. E. G., Kastrup Larsen, K. and Segner, D.
Torque strength of ceramic brackets 576 (63)
Jorge, W. A. see Faltin, K.
Jost-Brinkmann, P.-G., Cacciafesta, V., Böhme, A. and Miethke, R.-R.
Bonding ceramic brackets with composites and glass ionomers to gold, amalgam and porcelain 577 (64)
Jost-Brinkmann, P.-G. see Cacciafesta, V.

Kaddah, A. see Bumann, A.
Kahl-Nieke, B., Fischbach, H. and Schwarze, C. W.
An analysis of the multifactorial nature of post-retention change 453 (27)
Kappert, H. F. see Kypreos, G.
Karadinović, D., Mileusnić, B., Stojanović, L. and Šašić, M.
The speed of distal movement of the upper first molars 577 (65)
Karadinović, D. see Stojković, M.
Karsten, A. see Larson, M.
Kastrup Larsen, K. see Frohmann, M.; Jonkman, R. E. G.
Kataja, M. see Evälahti, M.
Katsaros, C. and Kiliaridis, S.
Influence of masticatory function on transversal skull dimensions in growing rats 578 (66)
Kavuklu, İ. see Ciğer, S.
Kawasaki, K. see Nakamura, Y.
Keane, J. see McNamara, C. M.
Kearns, H. P. O. and Burke, F. J. T.
Patient attitudes to the wearing of gloves by orthodontists 578 (67)
Keleş, A. and Stashenko, P.
Expression of cell adhesion molecules on normal human osteoblasts and alteration in response to mechanical strain 578 (68)
Kessner, C. A. see Faltin, K.
Khurana, M. and Moss, J. P.
Changes in the shape of the soft tissues at the angle of the mandible following orthognathic surgery 454 (28)
Kiliaridis, S. see Katsaros, C.; Papargyriou, G.
Kılıçoğlu, H., Kırlıç, Y., Külekçi, G. and Balkanlı, O.
The effect of 0.05% NaF mouthrinse on salivary *Mutans streptococci* and lactobacilli levels in orthodontic patients 579 (69)
Kilpeläinen, P. see Lahtinen, S.
Kim, H. H. see Kim, J.-C.
Kim, H.-J. see Rice, D. P. C.
Kim, J.-C., Kim, H. H., Lee, K.-H. and Hwang, H.-S.
Effects of splinting methods on the rearrangement of periodontal fibres after tooth movement 579 (70)
Kim, J.-C. see Hwang, H.-S.
Kim, K. W. see Chae, S. W.
Kırlıç, Y. see Kılıçoğlu, H.
Kiyak, A. see Terzoudi, T.
Kjær, I. see Nodal, M.
Kjellberg, H. see Papargyriou, G.
Klaiber, M. see Storr, I.
Kletsas, D. see Basdra, E. K.
Kobayashi, K. see Nakamura, Y.
Kocaağa, M., Canyürek, Ü., Acar, A. and Erverdi, N.
Comparison of continuous and discontinuous force application from the point of root resorption 579 (71)
Kohlhas, P., Pancherz, H. and Ruf, S.
The effect of TMJ growth changes on the position of the chin in Herbst treatment 580 (72)
Kokich, V. G.
Anterior dental aesthetics: the role of the orthodontist 454 (29)
Komposch, G. see Hauser, Ch.; Stellzig, A.
Konoo, T. see Takiguchi, R.
Kopp, S., Schumann, N. P. and Scholle, H. Ch.
Fatigue in chewing muscles of patients with craniomandibular dysfunction—a pilot study 580 (74)
Kopp, S. see Schumann, N. P.
Koray, Z. see Ciğer, S.
Kotilainen, J. and Pirinen, S.
Dental maturity is advanced in Fragile-X syndrome 580 (73)
Kotilainen, J. see Evälahti, M.
Kratzsch, H. and Opitz, C.
Metric examination of the palatal rugae in cleft patients 581 (75)
Krogstad, O. see Nykänen, R.
Kronlage, M. see Carvalho, R. S.
Kronseder, W. see Storr, I.
Küçükkeleş, N. and Merhi, A.
Cephalometric evaluation of stability of Jasper jumper treatment in Class II cases 581 (76)
Küçükkeleş, N. see Acar, A.; Evrenol, B.; Ünlü, B.

Kuijpers-Jagtman, A. M. see Heidbüchel, K. L. W. M.
Kuitert, R., Beckmann, S. H. and Prahl-Andersen, B.
Relapse 581 (77)
Külekçi, G. see Kılıçoğlu, H.
Kurol, E., Kurol, J., Bjerkhoel, A. and Ydreborg, K.
Obstructive sleep apnoea syndrome treated with a nocturnal removable appliance 454 (30)
Kurol, J. see Kurol, E.
Küseler, A., Pedersen, T. K., Herlin, T. and Gelineck, J.
Enhanced MRI in the diagnosis of early inflammatory changes in the TMJ in patients with juvenile chronic arthritis 582 (78)
Kuwahara, Y. see Nakamura, Y.; Wakimoto, Y.
Kvaal, S. I. see Nykänen, R.
Kvinnsland, I. H. see Vandevska-Radunovic, V.
Kvinnsland, S. see Vandevska-Radunovic, V.
Kypreos, G., Rolsdorph, M. C., Jonas, I. E. and Kappert, H. F.
Clinical aspects concerning the use of titanium brackets 582 (79)

Labib, A., Refai, H. and Allam, K.
Evaluation of maxillary growth after surgical correction of mandibular deficiency 582 (80)
Lahtinen, S., Kilpeläinen, P., Pahkala, R. and Sutinen, T.
The effect of unilateral crossbite correction on palatal morphology 583 (81)
Larson, M., Karsten, A., Larson, O., Nyberg, J. and Raud-Westberg, L.
Occlusion and speech at 5 years of age after two different methods of cleft palate repair 583 (82)
Larson, O. see Larson, M.; Wong, F.-k.
Lee, J.-J. see Hwang, H.-S.
Lee, K.-H. see Kim, J.-C.
Lee, R. T. see McDonagh, S.
Leitao, P.
Head position and craniofacial morphology 455 (31)
Levander, E., Bajka, R. and Malmgren, O.
Early radiographic diagnosis of apical root resorption during orthodontic treatment 583 (83)
Limme, M. see Raskin, S.
Linden, R. W. A. see Derringer, K. A.
Linder-Aronson, S. see Wong, F.-k.
Lisson, J. A. and Tränkmann, J.
Treatment results after UCLP: a longitudinal study 584 (84)
Liu, Y. see Tang, A. T. H.
Llorian, R. see Madrid, C.
López, C. see Martin, C.
Lowe, A. A. see Özbek, M. M.
Lukacs, J. R. see Domínguez, S.
Luther, J. see Horn, H.
Luthman, H. see Wong, F.-k.

Macin-Cabrera, S. see Garcia-López, S.
Madrid, C., Treil, J., Llorian, R., Jaeger, M. and Etienne, G.
The axis of inertia as a new tool to assess three-dimensional maxillofacial balance 455 (32)
Magni, C. see Magni, F.
Magni, F., Magni, C. and Cingi, A.
The mandibular stimulator and the lingual mandibular stimulator: a new philosophy of mandibular advancement with fixed appliances 455 (33)
Mäki, K., Varrela, J. and Vinkka-Puhakka, H.
Dentofacial changes with Van Beek activator therapy 584 (85)
Malagola, C., Barbato, E., Proietti, D., Manca, R. and Chiodo, B. P.
A finite element analysis of stress during canine retraction 584 (86)
Malmgren, O. see Levander, E.
Manca, R. see Malagola, C.
Marin, J. M. and De Rojas, J.
The relationship between TMJ problems, occlusion and cephalometric patterns 585 (87)
Marotta, G. see Farella, M.
Martin, C., Alarcón, J. A., López, C., Roselló, J., Palma, J. C. and Sanz, M.
The effect of chlorhexidine chewing-gum on plaque and gingivitis in patients with fixed orthodontic appliances 456 (34)
Martina, R., Michelotti, A., Farella, M., Bianco, M. and Orlando, M.
Motor and sensory changes of jaw muscles after orthodontic discomfort 456 (35)
Martina, R. see Farella, M.
Martinez-Gonzalez, J. M. see Rivero Lesmes, J. C.
Masa, M. C. see Domínguez, S.
Matuda, M. see Abe, K.
McDonagh, S., Moss, J. P., Goodwin, P. and Lee, R. T.
Optical scanning and cephalometric assessment of the soft tissue effects of functional appliances 457 (37)
McNamara, C. M., Keane, J., Hahessy, A. and Sandy, J.
The molar status of 679 orthodontic patients in Western Ireland 585 (88)
McNamara, C. M. see Dowling, P. A.
McNaught, A. J., Barnard, P. D. and Howell, S.
A survey of orthodontic practices in Australia 585 (89)
Melling, T. see Frohmann, M.
Melsen, B. see Bosch, C.; Jones, L.; Terzoudi, T.
Méndez Carrido, C. see Pérez Varela, J. C.
Merhi, A. see Küçükkeleş, N.
Merz, B. see Wehrbein, H.
Michelotti, A. see Farella, M.; Martina, R.
Middleton, J. see Jones, M. L.
Miethke, R.-R. see Cacciafesta, V.; Jost-Brinkmann, P.-G.
Mileusnić , B. see Karadinović, D.
Miller, R. L. see Tallgren, A.
Milutinov, S. see Stojković, M.
Minyeong, L. see Nakamura, Y.
Miotti, A. M. see Finotti, M.
Miotti, F. A., Modenese, A., Zerbetto, C. and Ravara, M.
Interaction between orthodontist and paediatrician in the early screening of malocclusion 586 (90)
Miotti, F. A. see Miotti, M.
Miura, F.
A new stomatognathic functional analyser 457 (36)
Miyamoto, K. see Özbek, M. M.
Modenese, A. see Miotti, F. A.
Moore, R. see Terzoudi, T.
Moreno, V. see Suárez, D.
Mosekilde, L. see Jones, L.
Moss, J. P. see Khurana, M.; McDonagh, S.
Muñoz Morente, R. and Roldán González, J. L.
New trends to improve the reliability of masticatory muscle palpation 586 (91)
Murakami, T. see Abe, K.

Nakamura, Y., Sekiya, T., Noda, K.,

Kuwahara, Y., Minyeong, L., Tanaka, S., Kawasaki, K. and Kobayashi, K.
Magnetic resonance images of spheno-occipital synchondrosis in humans and monkeys 586 (92)
Nakamura, Y. see Wakimoto, Y.
Nanda, R. S., O'Donnell, S. A. and Ghosh, J.
Perioral forces and dental changes with mandibular lip bumper treatment 457 (38)
Napolitano, C. see Finotti, M.
Näslund, E.-B., Hansen, K. and Petersson, A.
Dose reduction in computed cephalometric radiography 587 (93)
Neuscheler, C. see Horn, H.
Nevado, E. see San Román, P.
Nevado, E., Oteo, M. D., San Román, P., Terrón, F. J., Palma, J. C. and Oteo, C.
Tensile bond strength of metal brackets bonded to treated porcelain 587 (94)
Nielsen, I. L.
Facial growth and long-term stability 458 (39)
Nieminen, P. see Arte, S.
Niwa, K. see Araki, M.
Noda, K. see Nakamura, Y.; Wakimoto, Y.
Nodai, E. see Takiguchi, R.
Nodal, M., Kjær, I. and Solow, B.
Craniofacial morphology in patients with oligodontia 458 (40)
Nyberg, J. see Larson, M.
Nykänen, R., Espeland, L., Kvaal, S. I. and Krogstad, O.
Variability in dental development among groups of Caucasians 587 (95)
Nyström, M. see Evälahti, M.

O'Donnell, S. A. see Nanda, R. S.
Ohki, S. see Takiguchi, R.
Opitz, C. see Kratzsch, H.
Orlando, M. see Martina, R.
Oteo, C. see Nevado, E.
Oteo, M. D. see Nevado, E.; San Román, P.
Overall, C. M. see Gürseler, Y.
Oyen, O. J. see Chaqués-Asensi, J.
Özbek, M. M., Miyamoto, K., Lowe, A. A. and Fleetham, J. A.
Natural head posture, upper airway morphology and obstructive sleep apnoea 458 (41)
Öztosun, G., Aras, K. and Erverdi, N.
Tensile test results of a new non-etch, light-cured bonding system on wet enamel surfaces 588 (96)

Pahkala, R. see Lahtinen, S.
Palama, J. C. see San Román, P.
Palma, J. C. see Martin, C.; Nevado, E.
Panagiotis, K. N., Bumann, A. and Carvalho, R. S.
Collagen synthesis of human PDL fibroblasts after non-specific stimulation with the Flexcell system *in vitro* 588 (98)
Pancherz, H., Ruf, S. and Faubert, Ch.
Mandibular articular disc position in Herbst treatment 588 (97)
Pancherz, H. see Kohlhas, P.; Ruf, S.; Speth, C.
Papargyriou, G., Kjellberg, H. and Kiliaridis, S.
Characteristics of masticatory movements in growing individuals: a longitudinal follow-up over 6 years 589 (99)
Park, J.-G. see Hwang, H.-S.
Pedersen, T. K. see Küseler, A.
Peltonen, L. see Arte, S.
Pereda, J. C. see Varela, M.
Pérez Varela, J. C., Suárez Quintanilla, D. and Méndez Carrido, C.
Inflammation and tooth movement: localization of IL-1α in stressed periodontium 589 (100)
Pérez, J. C. see Suárez-Quintanilla, D.
Persson, M. see Dahl-Oscarson, N.; Henrikson, J.
Petersson, A. see Näslund, E.-B.
Piekarczyk, B., Widmańska, E. A. and Tołłoczko-Tarnawska, M.
The effect of a deleterious sucking habit on dental arch morphology 589 (101)
Pirinen, S. see Arte, S.; Kotilainen, J.
Piyapattarnin, T., Takono, Y., Eto, K. and Soma, K.
Responses of mouse periodontal mechanoreceptors to experimentally induced anterior crossbite 459 (42)
Poirrier, R. see Raskin, S.
Prahl-Andersen, B.
ISO-certification—fact or fiction? 459 (43)
Prahl-Andersen, B. see Heidbüchel, K. L. W. M.; Kuitert, R.; Raadsheer, M. C.
Proietti, D. see Malagola, C.
Puigdollers, A. and Alcázar, J.
Effect of stripping on the enamel of permanent teeth *in vitro* 590 (102)

Raadsheer, M. C., van Eijden, T. M. G. J., van Ginkel, F. C. and Prahl-Andersen, B.
Bite force, jaw muscle thickness and facial morphology 590 (103)
Rabie, A. B. M. see Gu, Y.
Rahn, B. A. see Wagner, R.
Ramos, I. see Suárez-Quintanilla, D.
Raskin, S., Limme, M. and Poirrier, R.
A pattern of craniofacial morphology in obstructive sleep apnoea 459 (44)
Raud-Westberg, L. see Larson, M.
Ravara, M. see Miotti, F. A.
Razavi, S., Huggare, J. and Skindhoj, B.
Chewing efficiency and reproducibility in relation to the shape of the masticated test material 590 (104)
Refai, H. see Labib, A.
Rice, D. P. C., Kim, H.-J. and Thesleff, I.
Osteoclasts in developing calvarial bone 460 (45)
Rivero Lesmes, J. C., Martinez-Gonzalez, J. M. and del Canto Pingarron, M.
Closure of midline diastemas following CO_2 laser fraenectomy 591 (105)
Rodríguez, C. see Domínguez, S.
Rodríguez, M. see Garcia-López, S.
Roldán González, J. L. see Muñoz Morente, R.
Rolsdorph, M. C. see Kypreos, G.
Román, J. F. see Suárez, D.
Roselló, J. see Martin, C.
Rossouw, P. E., Woodside, D. G. and Franklin, S.
Vertical control and predictability of post-retention lower incisor crowding 460 (46)
Rossouw, P. E. see Woodside, D. G.
Rudzki-Janson, I. see Storr, I.
Ruf, S. and Pancherz, H.
Has the Herbst appliance a

rotational effect on the mandible? 466 (63)
Ruf, S. and Pancherz, H.
Temporomandibular joint adaptation in Herbst treatment: a prospective MRI and cephalometric roentgenographic study 461 (47)
Ruf, S. see Kohlhas, P.; Pancherz, H.
Rygh, P.
Can root resorption be avoided, stopped, repaired? 461 (48)

Sacerdoti, R. see Franchi, L.
San Román, P., Palama, J. C., Oteo, M. D. and Nevado, E.
The correlation between cervical vertebrae and hand–wrist radiographs 591 (106)
San Román, P. see Nevado, E.
Sander, F. G. see Arana-Chavez, V. E.; Faltin, R. M.; Wichelhaus, A.
Sandy, J. see McNamara, C. M.
Sanz, M. see Martin, C.
Šašić, M.
Craniofacial changes in Class II division 1 malocclusions 591 (107)
Šašić, M. see Karadinović, D.
Šćepan, I., Glišić, B. and Jakšić, N.
Influence of growth on vertical dimensions in Class II division 2 malocclusions 591 (108)
Scheurer, P. A. see Firestone, A. R.
Schneevoigt, R., Bourauel, C., Harzer, W. and Eckardt, L.
Biomechanical analysis of arch-guided molar distalization employing superelastic NiTi coil springs 592 (109)
Schneevoigt, R., Haase, A. and Harzer, W.
Laboratory analysis of superelastic NiTi compression springs 592 (110)
Schneider, F. and Jonas, I.
Static magnetic fields and PGE_2-synthesis in 3T3 mouse fibroblasts 593 (111)
Scholle, H. Ch., Schumann, N. P., Anders, Ch., Biedermann, F. and Bradl, U.
Characterization of muscle recruitment processes considering anatomical and histochemical aspects of muscles 593 (112)
Scholle, H. Ch. see Kopp, S.; Schumann, N. P.
Schulte-Mönting, J. see Hallscheidt, S.
Schumann, N. P., Scholle, H. Ch., Anders, Ch. and Kopp, S.
Topographic and temporal representation of fatigue in the chewing muscles during sustained contraction 593 (113)
Schumann, N. P. see Kopp, S.; Scholle, H. Ch.
Schwarze, C. W. see Kahl-Nieke, B.
Segner, D.
A method to correlate aesthetic ratings and cephalometric variables 461 (49)
Segner, D. see Beckmann, S. H.; Ibe, D.; Jonkman, R. E. G.
Seitz, O. see Hallscheidt, S.
Sekiya, T. see Nakamura, Y.
Semb, G. see Czochrowska, E.
Sergl, H. G. see Doll, G. M.
Shapira, Y.
Transposition of teeth: occurrence, diagnosis and management 594 (114)
Shapiro, P.
Open bite: stability of surgical versus non-surgical treatment 462 (50)
Shetty, V. see Abeleira, M. T.
Sielaff, H. see Frohmann, M.
Skinazi, G. L. S.
Facial appearances and sexual dimorphism 462 (51)
Skindhoj, B. see Razavi, S.
Solow, B. see Işeri, H.; Nodal, M.
Soma, K. see Piyapattarnin, T.
Speth, C., Pancherz, H. and Cudovic, B.
Orthodontic space closure after extraction of four permanent first molars: a method of analysis 594 (115)
Spyropoulos, M. N.
Aesthetics and individuality in orthodontics 462 (52)
Spyropoulos, M. N. see Adamidis, I. P.
Stashenko, P. see Keleş, A.
Stellzig, A., Hauser, Ch., Basdra, E. K. and Komposch, G.
Three-dimensional analysis of growth changes in complete unilateral cleft lip and palate (UCLP) patients 462 (53)
Stellzig, A. see Hauser, Ch.
Stenvik, A. see Czochrowska, E.; Fernandes, M. L.
Stojanović, L. see Karadinović, D.
Stojković, M., Karadinović, D. and Milutinov, S.
Aesthetic improvement of the lips using face masks in the treatment of Class III malocclusions 595 (116)
Stoltenburg-Didinger, G. see Holtgrave, E. A.
Storr, I., Klaiber, M., Kronseder, W. and Rudzki-Janson, I.
Stability of the lower incisor position after orthodontic treatment 595 (117)
Stucki, N. and Ingervall, B.
The use of the Jasper jumper for the correction of Class II malocclusion in the young permanent dentition 463 (54)
Suárez, D., Román, J. F., Moreno, V., Viaño, J., Fernández, P., Abeleira, M. T., Fernández, J. R. and Burguela, M.
Speckle interferometry applied to the biomechanical analysis of the human mandible 595 (118)
Suárez-Quintanilla, D., Canut, J. A., Abeleira, M. T., González, M. C., Pérez, J. C. and Ramos, I.
An experimental study of orthodontic root resorption in human incisors 596 (119)
Suárez-Quintanilla, D. see Abeleira, M. T.; Domínguez, S.; Pérez Varela, J. C.
Süßenberger, U. see Cacciafesta, V.
Sutinen, T. see Lahtinen, S.
Suzuki, A. see Abe, K.

Takiguchi, R., Ichida, T., Konoo, T., Ohki, S., Nodai, E., Fujita, K. and Yamada, K.
Longitudinal growth changes in different facial aspects 596 (120)
Takono, Y. see Piyapattarnin, T.
Tallgren, A., Christiansen, R. L., Ash, M. M. Jr and Miller, R. L.
Effects of an oral shield on orofacial muscle activity and structures 596 (121)
Tanaka, S. see Nakamura, Y.
Tang, A. T. H., Liu, Y. and Ekstrand, J.
Cytotoxic properties of orthodontic bonding resins 597 (122)
Tchikov, V. see Carvalho, R. S.
Terrón, F. J. see Nevado, E.
Terzoudi, T., Kiyak, A., Athanasiou, A. E., Moore, R. and Melsen, B.
Self-perceptions and social and

personal life 10–14 years after orthognathic surgery 597 (123)
Thesleff, I. see Arte, S.; Rice, D. P. C.
Thilander, B.
Dental implants in orthodontics 463 (55)
Thilander, B. see Henrikson, J.
Thomsen, J. S. see Jones, L.
Thüer, U. see Ingervall, B.
Thull, R. see Guembe, C.
Tol ł oczko-Tarnawska, M. see Piekarczyk, B.
Tollaro, I. see Franchi, L.
Toygar Memikoğlu, T. U. and Işeri, H.
Stability following rapid maxillary expansion 597 (124)
Tränkmann, J. see Lisson, J. A.
Treil, J. see Madrid, C.
Trenkmann, U. see Eckardt, L.
Tümer, N. and Gültan, A.
Comparison of skeletal and dental effects of monobloc and twin-block appliances 598 (125)
Turk, T. see Dincer, M.

Üçüncü, N., Ertugay, E. and Demirel, H.
The use of the Index of Orthodontic Treatment Need in schoolchildren and a referred population: an epidemiological survey 598 (126)
Uluçam, R. see Ciğer, S.
Ünlü, B., Arun, T., Aras, K. and Küçükkeleş, N.
Comparison of orthognathic subjects with untreated individuals using SAM. axiograph and Helkimo's Dysfunction Index (HDI) 599 (127)

van der Linden, F. P. G. M.
Correction of anterior teeth in adults 463 (56)
van Eijden, T. M. G. J. see Raadsheer, M. C.
van Ginkel, F. C. see Raadsheer, M. C.
van Loveren, C. see Bokhout, B.
Vandevska-Radunovic, V., Kvinnsland, I. H. and Kvinnsland, S.
Effect of denervation on blood flow incident to experimental tooth movement 599 (128)
Varela, M. and Pereda, J. C.
A clinical evaluation of the pendulum appliance 599 (129)
Vargas Pereira, M. R., Bumann, A. and Carvalho, R. S.
Error measurements and normative values of the metric MRI. analysis 600 (130)
Vargervik, K. see Bosch, C.
Varrela, J. see Mäki, K.
Verbeek, H. P. J. and Dibbets, J. M. H.
Error distribution of cephalometric landmarks articulare, basion and opisthion after super-impositioning on the foramen magnum 600 (131)
Verdonck, A., Gaethofs, M., Carels, C. and de Zegher, F.
Testosterone treatment effect on craniofacial growth in boys with delayed puberty 600 (132)
Verdonck, A. see De Ridder, I..
Viaño, J. see Suárez, D.
Villanueva-Arriaga, R. see Garcia-López, S.
Vinkka-Puhakka, H. see Mäki, K.
Volp, C. see Jones, M. L.

Wagner, R., Jonas, I. and Rahn, B. A.
Influence of muscle function on bone development in growing rats 601 (133)
Wakimoto, Y., Noda, K., Nakamura, Y. and Kuwahara, Y.
Cytochrome C oxidase activity in odontoclasts during experimental tooth movement 601 (134)
Watted, N. see Witt, E.
Wehrbein, H., Feifel, H., Merz, B. and Diedrich, P.
Palatal implant anchorage reinforcement of posterior teeth: a clinical study 464 (57)
Wichelhaus, A. and Sander, F. G.
New materials for uprighting molars as prosthetic and periodontal-prophylactic measures 464 (58)
Wichelhaus, A., Sander, F. G. and Inglezos, E.
The asymmetrical headgear with internal hinge applied in Class II patients 601 (135)
Widmańska, E. A. see Piekarczyk, B.
Winoto-Morbach, S. see Carvalho, R. S.
Witt, E. and Watted, N.
Functional appliance therapy in combination with extraoral traction and up-and-down elastics 464 (59)
Witt, E. see Guembe, C.
Wong, F.-k., Hagberg, C., Larson, O., Ideberg, M., Luthman, H. and Linder-Aronson, S.
Gene mapping of cleft lip and palate 465 (60)
Woodside, D. G., Eslambolchi, S. and Rossouw, P. E.
A serial study of mandibular incisor alignment from 20 to 70 years of age 602 (136)
Woodside, D. G. see Rossouw, P. E.

Yamada, K. see Takiguchi, R.
Ydreborg, K. see Kurol, E.
Yoon, Y. J. see Chae, S. W.

Zachrisson, B. U.
The search for excellence in orthodontics—is it really necessary? 465 (61)
Zachrisson, B. U. see Czochrowska, E.; Færøvig, E.
Zentner, A. and Heaney, T. G.
Proliferative response of junctional epithelium to mechanical stimulation 602 (137)
Zentner, A. see Doll, G. M.
Zepa, I. and Huggare, J.
Reference structures for assessment of frontal head posture 602 (138)
Zerbetto, C. see Miotti, F. A.